

COVER STYL' INDEX

# C O N T E N T

—	COUNTRY STYL'	4
	FARM STYL' ROASTING	6
	B E L G I A N CUISINE	8
—	F A MILY DINNING	10
	OFFICE LUNCH TIME	1 2

# COUNTRY



12 hours 1 person



DIFFICULTY





- #150-CS10 Squeegee 1. Front side and back 2. Overlap with cut on edges 4:00-Q23 Backing Cutter 3. Thermoforming on edges #100+SVR-2 OLFA Cutter





### COLOUR REFERENCE



MEGÈVE WINITE VELVET GRAIN

# FORMULA

Cover Styl' 15 LM J3 6 LM B3

### PROCESS

This kitchen was difficult for the finishes of the 4 glass doors. My tip is to plan the work in several steps. We used new boards to give a new modern look and to save time in reparation/preparation.











### BEFORE








AFTER

COUNTRY





1 day 4 persons







#150-CS10 Squeegee

1 2 3 4 5 #600-T800 Industrial Degreaser
#100-Q23 Backing Cutter
#100+SVR-2 OLFA Cutter



### METHOD

 Front and sides
 without the back 2. Overlap with cut on edges

### COLOUR REFERENCE




## FORMULA

Cover Styl' 18 LM M7

### PROCESS

The fronts of this kitchen remained. Simply the gloss finish was removed in order to cover it with Cover Styl'. A simple and easy kitchen, just as many others! We used this oppurtunity to train our in house staff!











### BEFORE







AFTER

FARM STYI



# BELGIAN



# TIME

1,5 days 1 person





TOOLS

#150-CS10 Squeegee #600-T800 Industrial Degreaser #100-Q23 Backing Cutter #100+SVR-2 OLFA Cutter



### METHOD

- Front and sides
   without the back
- 2. Overlap with cut on edges

### COLOUR REFERENCE



# FORMULA

3 LM NE77

Cover Styl' 15 LM NE81

### PROCESS

These doors had edges, straight on one side and round on the other, so finishing was a bit harder than on normal edges.

But no issue if you use the correct technique. This is something we teach day to day in our Training Center!











### BEFORE







AFTER

# FAMILY



### TIME

2 days 3 persons doing a coaching on site for new workers





DIFFICULTY



#150-CS10 Squeegee
1 2 3 4 5 #600-T800 Industrial Degreaser #100-Q23 Backing Cutter #100+SVR-2 OLFA Cutter



### METHOD

- 1. Front and sides without the back
- 2. Overlap with cut on edges

### COLOUR REFERENCE


EGGSHELL VELVET GRAIN

### FORMULA

Cover Styl' 18 LM N3

### PROCESS

The most tricky part for them was to not highlight the overlap between the layers. Also the doors had edges straight on one side and round on the other, so finishing was a bit harder than usual. But no issue if you use the correct technic.











### BEFORE







AFTER



# OFFICE



### TIME

3/4 hours 2 persons





TOOLS

#150-CS10 Squeegee
1 2 3 4 5 #600-T800 Industrial Degreaser #100-Q23 Backing Cutter #100+SVR-2 OLFA Cutter



1. Front and sides without the back 2. Overlap with cut on edges

### COLOUR REFERENCE






# FORMULA

Cover Styl' 10 LM U20 2 LM CT82

### PROCESS

It's always nice when in 3/4 hours you can change again look at kitchens, this was previously wrapped in many different colours but client decided for a new look in concrete, so we just apply over the old one! And at the end he's decided for beautiful wood effect behind the sink.











### BEFORE







AFTER



WATCH VIDEO HERE







LOW MAINTENANCE

DURABLE, LONG-LASTING

ABRASION TEST

FIRE TEST

SOFT TOUCH

REACH / CE

# CUT,





